Author Index Volume 65 Nos. 1-6

Complete listing under primary author

Ackerman JL, Proffit WR. Communication in orthodontic treatment planning: bioethical and informed consent issues. 65(4):253-262.

Acs G–see Prawat JS

Alexander CD–see Årtun J

Almeida MA, Phillips C, Kula K, Tulloch C. Stability of the palatal rugae as landmarks for analysis of dental casts. 65(1):43-48.

Andersen CE–see Williams S

Årtun J, Alexander CD, Ellingsen RH. Case Report MH: Treatment of a severe Class II, Division 1 malocclusion in a growing female with Class III skeletal relationship, low mandibular plane angle, and prominent nose and chin. 65(6): 389-394.

Arvystas MG–see Meng CL

Baccetti T, Franchi L, Cecchi JM, Pacciani E. Associated dental anomalies in an Etruscan adolescent. 65(1):75-79.

Bantleon H-P–see Braun S

Basdra EK, Mayer T, Komposch G. Case Report RS: Guided tissue regeneration precedes tooth movement and crossbite correction. 65(5):307-310.

Becker A. In defense of the guidance theory of palatal canine displacement. 65(2):95-102.

Bennett JC–see McLaughlin RP

Bergamini A, Melsen B. Case Report: Case Report: Treatment of dental asymmetry. 65(4):247-252.

Bishara SE, Winterbottom JM, Sulieman A-HA, Rim K, Jakobsen JR. Comparisons of the thermodynamic properties of three nickel-titanium orthodontic archwires. 65(2):117-122.

Bondevik O. Treatment needs following activator-headgear therapy. 65(6):417-422.

Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):3067-372.

Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 2: Relationship to various cephalometric measurements. 65(5):373-377.

Broadbent BH Jr.–see Lange DW

Broder HL–see Dann C

Büyükyilmaz T–see Zachrisson BU

Campbell PM. Enamel surfaces after orthodontic bracket debonding 65(2):103-110.

Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.

Cannac C–Phillips C

Cecchi JM–see Baccetti T

Chung JM–see Cangialosi TJ

Cisneros GJ–see Prawat JS

Corbitt GV. Commentary on: Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):73-74.

Dann C, Phillips C, Broder HL, Tulloch JFC. Self-concept, Class II malocclusion, and early treatment. 65(6):411-416.

De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.

Deguchi T, Garetto LP, Sato Y, Potter RH, Roberts WE. Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):151-159.

DeLoach N Jr–see Diels RM

Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.

Dugoni AA–see Dugoni SA

Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: Post-retention evaluation of stability and relapse. 65(5):311-320.

Ellingsen RH–Årtun J

Elliott DF–see Cangialosi TJ

Enlow DH–see Hans MG

Farman AG–see Judy DL

Franchi L–see Baccetti T

Freudenthaler JW–see Braun S

Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.

Garetto LP–see Deguchi T

Garn SM–see Richey KA

Glover K–see Gaffey PG

Grace M–see Gaffey PG

Habets LLMH–see Ras F

Hans MG, Enlow DH, Noachtar R. Age-related differences in andibular ramus growth: A histologic study. 65(5):335-339.

Hayashi H–see Tenshin S

Hicks EP–see Shellhart WC

Hill BJ–Phillips C

Hnat WP–see Braun S

Inoue Y–see Tanne K

Jakobsen JR–Bishara SE

Johnson BE–see Braun S

Johnson BE–see Rinaldi TC

Jost-Brinkmann P-G–see Yoshida N

Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.

Kalra V–see Diels RM

Kalra V–see Lange DW

Kaplan AL–see Shellhart WC

Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.

Kataja M–see Peck S

Kawata T–see Tenshin S

Keeling SD–see King GJ

Kennedy DB–see Vermette ME

Kerosuo H, Moe G, Kleven E. In vitro release of nickel and chromium from different types of simulated orthodontic appliances. 65(2):111-116.

King GJ, Keeling SD. Orthodontic bone remodeling in relation to appliance decay. 65(2):129-140.

King GJ. Commentary on: Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):401-402.

Kleven E–see Kerosuo H

Kluemper GT–see Shellhart WC

Kobal AL. Case Report: Case MH. 65(2):89-94.

Koehler JR–see Gaffey PG

Kokich V. What's new in dentistry. 65(1):5-6.
What's new in dentistry. 65(2):85-86.
What's new in dentistry. 65(3):167-168.
What's new in dentistry. 65(4):245-246.
What's new in dentistry. 65(5):305-306.
What's new in dentistry. 65(6):387-388.

Kokich VG–see Vermette ME

Komposch G–Basdra EK

Kula K–see Almeida MA

Kürol J–see Owman-Moll P

Lai JS–see Meng CL

Lange DW–see Shellhart WC

Lange DW, Kalra V, Broadbent BH Jr., Powers M, Nelson S. Changes in soft tissue profile following treatment with the bionator. 65(6):423-430.

Lee JS–see Dugoni SA

Lew H–see Tenshin S

Loos PJ–see Richey KA

Lundgren D–see Owman-Moll P

Luo YC–see Meng CL

Major PW–see Gaffey PG

Maltha JC–see Ostyn JM

Author Index Volume 65 Nos. 1-6

Complete listing under primary author

Ackerman JL, Proffit WR. Communication in orthodontic treatment planning: bioethical and informed consent issues. 65(4):253-262.

Acs G–see Prawat JS

Alexander CD–see Årtun J

Almeida MA, Phillips C, Kula K, Tulloch C. Stability of the palatal rugae as landmarks for analysis of dental casts. 65(1):43-48.

Andersen CE–see Williams S

Årtun J, Alexander CD, Ellingsen RH. Case Report MH: Treatment of a severe Class II, Division 1 malocclusion in a growing female with Class III skeletal relationship, low mandibular plane angle, and prominent nose and chin. 65(6): 389-394.

Arvystas MG–see Meng CL

Baccetti T, Franchi L, Cecchi JM, Pacciani E. Associated dental anomalies in an Etruscan adolescent. 65(1):75-79.

Bantleon H-P–see Braun S

Basdra EK, Mayer T, Komposch G. Case Report RS: Guided tissue regeneration precedes tooth movement and crossbite correction. 65(5):307-310.

Becker A. In defense of the guidance theory of palatal canine displacement. 65(2):95-102.

Bennett JC–see McLaughlin RP

Bergamini A, Melsen B. Case Report: Case Report: Treatment of dental asymmetry. 65(4):247-252.

Bishara SE, Winterbottom JM, Sulieman A-HA, Rim K, Jakobsen JR. Comparisons of the thermodynamic properties of three nickel-titanium orthodontic archwires. 65(2):117-122.

Bondevik O. Treatment needs following activator-headgear therapy. 65(6):417-422.

Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):3067-372.

Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 2: Relationship to various cephalometric measurements. 65(5):373-377.

Broadbent BH Jr.–see Lange DW

Broder HL–see Dann C

Büyükyilmaz T–see Zachrisson BU

Campbell PM. Enamel surfaces after orthodontic bracket debonding 65(2):103-110.

Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.

Cannac C–Phillips C

Cecchi JM–see Baccetti T

Chung JM–see Cangialosi TJ

Cisneros GJ–see Prawat JS

Corbitt GV. Commentary on: Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):73-74.

Dann C, Phillips C, Broder HL, Tulloch JFC. Self-concept, Class II malocclusion, and early treatment. 65(6):411-416.

De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.

Deguchi T, Garetto LP, Sato Y, Potter RH, Roberts WE. Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):151-159.

DeLoach N Jr–see Diels RM

Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.

Dugoni AA–see Dugoni SA

Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: Post-retention evaluation of stability and relapse. 65(5):311-320.

Ellingsen RH–Årtun J

Elliott DF–see Cangialosi TJ

Enlow DH–see Hans MG

Farman AG–see Judy DL

Franchi L–see Baccetti T

Freudenthaler JW–see Braun S

Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.

Garetto LP–see Deguchi T

Garn SM–see Richey KA

Glover K–see Gaffey PG

Grace M–see Gaffey PG

Habets LLMH–see Ras F

Hans MG, Enlow DH, Noachtar R. Age-related differences in andibular ramus growth: A histologic study. 65(5):335-339.

Hayashi H–see Tenshin S

Hicks EP–see Shellhart WC

Hill BJ–Phillips C

Hnat WP–see Braun S

Inoue Y–see Tanne K

Jakobsen JR–Bishara SE

Johnson BE–see Braun S

Johnson BE–see Rinaldi TC

Jost-Brinkmann P-G–see Yoshida N

Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.

Kalra V–see Diels RM

Kalra V–see Lange DW

Kaplan AL–see Shellhart WC

Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.

Kataja M–see Peck S

Kawata T–see Tenshin S

Keeling SD–see King GJ

Kennedy DB–see Vermette ME

Kerosuo H, Moe G, Kleven E. In vitro release of nickel and chromium from different types of simulated orthodontic appliances. 65(2):111-116.

King GJ, Keeling SD. Orthodontic bone remodeling in relation to appliance decay. 65(2):129-140.

King GJ. Commentary on: Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):401-402.

Kleven E–see Kerosuo H

Kluemper GT–see Shellhart WC

Kobal AL. Case Report: Case MH. 65(2):89-94.

Koehler JR–see Gaffey PG

Kokich V. What's new in dentistry. 65(1):5-6.
What's new in dentistry. 65(2):85-86.
What's new in dentistry. 65(3):167-168.
What's new in dentistry. 65(4):245-246.
What's new in dentistry. 65(5):305-306.
What's new in dentistry. 65(6):387-388.

Kokich VG–see Vermette ME

Komposch G–Basdra EK

Kula K–see Almeida MA

Kürol J–see Owman-Moll P

Lai JS–see Meng CL

Lange DW–see Shellhart WC

Lange DW, Kalra V, Broadbent BH Jr., Powers M, Nelson S. Changes in soft tissue profile following treatment with the bionator. 65(6):423-430.

Lee JS–see Dugoni SA

Lew H–see Tenshin S

Loos PJ–see Richey KA

Lundgren D–see Owman-Moll P

Luo YC–see Meng CL

Major PW–see Gaffey PG

Maltha JC–see Ostyn JM

Marcotte MR–see Braun S
Mathews DP. Commentary on: Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):33-34.
Mayer T–Basdra EK
McLaughlin RP, Bennett JC. Review and commentary: The extraction–nonextraction dilemma as it relates to TMD. 65(3):175-186.
McNamara JA Jr–see Richey KA
Meistrell ME Jr–see Cangialosi TJ
Melsen B–see Bergamini A
Meng CL, Wang WN, Tarng TH, Luo YC, Lai JS, Arvystas MG. Orthodontic resin under water immersion. 65(3):209-214.
Miles PG–see Nimkarn Y
Moe G–see Kerosuo H
Nelson S–see Lange DW
Nelson SS–see Diels RM
Ngan P. Commentary on: Repair of orthodontically induced root resorption in adolescents. 65(6):409.
Nieberg L–see Prawat JS
Nimkarn Y, Miles PG, O'Reilly MT, Weyant RJ. The validity of maxillary expansion indices. 65(5):332-326.
Noachtar R–see Hans MG
O'Reilly MT–see Nimkarn Y
Ostyn JM, Maltha JC, van 't Hof MA, van der Linden FPGM. The role of intercuspation in regulation of transverse maxillary development in *Macaca fascicularis*. 65(3):215-222.
Owman-Moll P, Kürol J, Lundgren D. Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):395-402.
Owman-Moll P, Kürol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. 65(6):403-409.
Pacciani E–see Baccetti T
Peck S. Commentary on: Associated dental anomalies in an Etruscan adolescent. 65(1):80.
Peck L–see Peck S
Peck S, Peck L, Kataja M. Sense and nonsense regarding palatal canines. 65(2):95-102
Phillips C–see Almeida MA
Phillips C–see Dann C
Phillips C, Hill BJ, Cannac C. The influence of video imaging on patients' perceptions and expectations. 65(4):263-270.
Potter RH–see Deguchi T
Powers M–see Diels RM
Powers M–see Lange DW
Prahl-Andersen B–see Ras F
Prawat JS, Nieberg L, Cisneros GJ, Acs G. A comparison between radiographic and sonically produced cephalometric values. 65(4):271-276.
Proffitt WR–see Ackerman JL
Ras F, Habets LLMH, van Ginkel FC, Prahl-Andersen B. Method for quantifying facial asymmetry in three dimensions using stereophotogrammetry. 65(3):233-240.
Regennitter FJ–see Judy DL
Richey KA, McNamara JA Jr., Wilmot JJ, Garn SM, Loos PJ. Arch dimensional changes in children with idiopathic short stature treated with recombinant growth hormone: a five-year study.65(4):293-300.
Rim K–see Bishara SE
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.
Roberts WE–see Deguchi T
Rosenblum RE. Class II malocclusion: mandibular retrusion or maxillary protrusion? 65(1):49-62.
Sakuda M–see Tanne K
Sato Y–see Deguchi T
Scarfe WC–see Judy DL
Sectakof PA. Commentary on: Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):160.
Shellhart WC, Lange DW, Kluemper GT, Hicks EP, Kaplan AL. Reliability of the Bolton tooth-size analysis when applied to crowded dentitions. 65(5):327-334.
Silveira AM–see Judy DL
So LLY–see Tang ELK
Sorenson NA Jr. Case Report BB: Use of maxillary intraosseous implants for Class II elastic anchorage. 65(3):169-174.
Sou K–see Tenshin S
Sperry TM. Commentary on: F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3): 232.
Spiller Jr RE–see De Franco DJ
Suhr CH–see Yang SD
Sulieman A-HA–Bishara SE
Tang ELK, So LLY. Correlation of orthodontic treatment demand with treatment need assessed using two indices. 65(6):443-450.
Tanimura I–see Tenshin S
Tanne K, Inoue Y, Sakuda M. Biomechanical behavior of the periodontium before and after orthodontic tooth movement. 65(2):123-128.
Tarng TH–see Meng CL
Tenshin S, Tuchihashi M, Sou K, Lew H, Hayashi H, Tanimura I, Kawata T. Remodeling mechanisms of transseptal fibers during and after tooth movement. 65(2):141-150.
Tuchihashi M–see Tenshin S
Tulloch C–see Almeida MA
Tulloch JFC–see Dann C
Turpin DL, Woloshyn H. Case Report: Two patients with severely displaced maxillary canines respond differently to treatment. 65(1):13-22.
Turpin DL. Editorial: Arch length related problems. 65(5):303.
Editorial: Better ways to align impacted canines. 65(1):3.
Editorial: Orthodontists needed on the implant team. 65(3):163.
Editorial: The need for video imaging. 65(4):243.
Editorial: The return of tooth surface luster following bracket removal. 65(2):83.
Editorial: Creating a Home Page on the World Wide Web. 65(6):383.
van 't Hof MA–see Ostyn JM
van der Linden FPGM–see Ostyn JM
van Ginkel FC–see Ras F
Varela J–see Dugoni SA
Vermette ME, Kokich VG, Kennedy DB. Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):23-32.
von Fraunhofer JA–see De Franco DJ
Wang WN–see Meng CL
Weyant RJ–see Nimkarn Y
Wheeler TT. Commentary on: Age-related differences in andibular ramus growth: a histologic study. 65(5):340.
Williams S, Andersen CE. Incisor stability in patients with anterior rotational mandibular growth. 65(6);431-442.
Wilmot JJ–see Richey KA
Winterbottom JM–Bishara SE
Wolosyhyn H–see Turpin DL
Yamada Y–see Yoshida N
Yancey JM–see Judy DL
Yang SD, Suhr CH. F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3):223-231.
Yoshida N, Jost-Brinkmann P-G, Yamada Y. Initial tooth movement under extraoral force and considerations for controlled molar movement. 65(3):199-208.
Zachrisson BU, Büyükyilmaz T, Zachrisson YØ. Improving orthodontic bonding to silver amalgam. 65(1):35-42.
Zachrisson YØ–see Zachrisson BU

Subject Index Volume 65 Nos. 1-6

Activator
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.

Activator-headgear treatment
Bondevik O. Treatment needs following activator-headgear therapy. 65(6):417-422.

Adhesives
Zachrisson BU, Büyükyilmaz T, Zachrisson YØ. Improving orthodontic bonding to silver amalgam. 65(1):35-42.

Adolescence
Owman-Moll P, Kurol J, Lundgren D. Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):395-402.
Owman-Moll P, Kurol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. 65(6):403-408.

Adverse effects
Owman-Moll P, Kurol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. 65(6):403-408.

African-American
Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.

Age
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.
Hans MG, Enlow DH, Noachtar R. Age-related differences in andibular ramus growth: a histologic study. 65(5):335-339.

Amalgam
Zachrisson BU, Büyükyilmaz T, Zachrisson YØ. Improving orthodontic bonding to silver amalgam. 65(1):35-42.

Anchorage unit
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.

Appliance decay
King GJ, Keeling SD. Orthodontic bone remodeling in relation to appliance decay. 65(2):129-140.

Applied force
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.

Arch dimensional changes
Richey KA, McNamara JA Jr., Wilmot JJ, Garn SM, Loos PJ. Arch dimensional changes in children with idiopathic short stature treated with recombinant growth hormone: a five-year study.65(4):293-300.

Bimaxillary protrusion
Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.

Bioethical issues
Ackerman JL; Proffit WR. Communication in orthodontic treatment planning: bioethical and informed consent issues. 65(4):253-262.

Biomechanical property
Tanne K, Inoue Y, Sakuda M. Biomechanical behavior of the periodontium before and after orthodontic tooth movement. 65(2):123-128.

Bionator
Lange DW, Kalra V, Broadbent BH Jr., Powers M, Nelson S. Changes in soft tissue profile following treatment with the bionator. 65(6):423-430.

Bite force
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 2: Relationship to various cephalometric measurements. 65(5):373-377.

Boley gauge
Shellhart WC, Lange DW, Kluemper GT, Hicks EP, Kaplan AL. Reliability of the Bolton tooth-size analysis when applied to crowded dentitions. 65(5):327-334.

Bolton
Shellhart WC, Lange DW, Kluemper GT, Hicks EP, Kaplan AL. Reliability of the Bolton tooth-size analysis when applied to crowded dentitions. 65(5):327-334.

Bond strength
Meng CL, Wang WN, Tarng TH, Luo YC, Lai JS, Arvystas MG. Orthodontic resin under water immersion. 65(3):209-214.

Bond strength
Zachrisson BU, Büyükyilmaz T, Zachrisson YØ. Improving orthodontic bonding to silver amalgam. 65(1):35-42.

Bonding
Zachrisson BU, Büyükyilmaz T, Zachrisson YØ. Improving orthodontic bonding to silver amalgam. 65(1):35-42.

Bone histology
Hans MG, Enlow DH, Noachtar R. Age-related differences in andibular ramus growth: a histologic study. 65(5):335-339.

Bone turnover
King GJ, Keeling SD. Orthodontic bone remodeling in relation to appliance decay. 65(2):129-140.

Bovine teeth
Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.

Bracket repositioning
Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.

Caucasian American
Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.

Cephalometric
Prawat JS, Nieberg L, Cisneros GJ, Acs G. A comparison between radiographic and sonically produced cephalometric values. 65(4):271-276.

Cephalometric correlations
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 2: Relationship to various cephalometric measurements. 65(5):373-377.

Cephalometrics
Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.
Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.
Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.

Ceramic
De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.
Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.

Children
Richey KA, McNamara JA Jr., Wilmot JJ, Garn SM, Loos PJ. Arch dimensional changes in children with idiopathic short stature treated with recombinant growth hormone: a five-year study.65(4):293-300.

Chromium
Kerosuo H, Moe G, Kleven E.In vitro release of nickel and chromium from different types of simulated orthodontic appliances. 65(2):111-116.

Class II malocclusion
Lange DW, Kalra V, Broadbent BH Jr., Powers M, Nelson S. Changes in soft tissue profile following treatment with the bionator. 65(6):423-430.
Dann C, Phillips C, Broder HL, Tulloch JFC. Self-concept, Class II malocclusion, and early treatment. 65(6):411-416.

Class III malocclusion
Deguchi T, Garetto LP, Sato Y, Potter RH, Roberts WE. Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):151-159.

Clinical trial
Phillips C, Hill BJ, Cannac C. The influence of video imaging on patients' perceptions and expectations. 65(4):263-270.

Comparative analysis
Rosenblum RE. Class II malocclusion: mandibular retrusion or maxillary protrusion? 65(1):49-62.

Computer
Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.

Computer imaging
Ackerman JL; Proffit WR. Communication in orthodontic treatment planning: bioethical and informed consent issues. 65(4):253-262.

Computerized cephalometrics
Rosenblum RE. Class II malocclusion: mandibular retrusion or maxillary protrusion? 65(1):49-62.

Corrosion
Kerosuo H, Moe G, Kleven E.In vitro release of nickel and chromium from different types of simulated orthodontic appliances. 65(2):111-116.

Craniofacial growth
Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.
Richey KA, McNamara JA Jr., Wilmot JJ, Garn SM, Loos PJ. Arch dimensional changes in children with idiopathic short stature treated with recombinant growth hormone: a five-year study.65(4):293-300.

Debonding
Zachrisson BU, Büyükyilmaz T, Zachrisson YØ. Improving orthodontic bonding to silver amalgam. 65(1):35-42.

Debonding interface
Meng CL, Wang WN, Tarng TH, Luo YC, Lai JS, Arvystas MG. Orthodontic resin under water immersion. 65(3):209-214.

Dental anomalies
Baccetti T, Franchi L, Cecchi JM, Pacciani E. Associated dental anomalies in an Etruscan adolescent. 65(1):75-79.

Dental cast analysis
Almeida MA; Phillips C, Kula K, Tulloch C. Stability of the palatal rugae as landmarks for analysis of dental casts. 65(1):43-48.

Dental correlations
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 2: Relationship to various cephalometric measurements. 65(5):373-377.

Dentomaxillary complex
Ostyn JM, Maltha JC, van 't Hof MA, van der Linden FPGM. The role of intercuspation in regulation of transverse maxillary development in *Macaca fascicularis*. 65(3):215-222.

Differential Lissajous pattern
Deguchi T, Garetto LP, Sato Y, Potter RH, Roberts WE. Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):151-159.

Digital
Prawat JS, Nieberg L, Cisneros GJ, Acs G. A comparison between radiographic and sonically produced cephalometric values. 65(4):271-276.

Early mixed dentition
Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: post-retention evaluation of stability and relapse. 65(5):311-320.

Early treatment
Dann C, Phillips C, Broder HL, Tulloch JFC. Self-concept, Class II malocclusion, and early treatment. 65(6):411-416.

Ectopic
Baccetti T, Franchi L, Cecchi JM, Pacciani E. Associated dental anomalies in an Etruscan adolescent. 65(1):75-79.

Effective force
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.

Elastomers
De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.

Electrothermal debonding
Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.

EMG
Deguchi T, Garetto LP, Sato Y, Potter RH, Roberts WE. Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):151-159.

Enamel surfaces
Campbell PM. Enamel surfaces after orthodontic bracket debonding 65(2):103-110.

Esthetics
Vermette ME, Kokich VG, Kennedy DB. Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):23-32.

Esthetics
Lange DW, Kalra V, Broadbent BH Jr., Powers M, Nelson S. Changes in soft tissue profile following treatment with the bionator. 65(6):423-430.

Etruscans
Baccetti T, Franchi L, Cecchi JM, Pacciani E. Associated dental anomalies in an Etruscan adolescent. 65(1):75-79.

Expansion
Nimkarn Y, Miles PG, O'Reilly MT, Weyant RJ. The validity of maxillary expansion indices. 65(5):321-326.

Extraction
Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.

Extraction
McLaughlin RP, Bennett JC. Review and commentary: The extraction–nonextraction dilemma as it relates to TMD. 65(3):175-186.

Extraoral traction
Yoshida N, Jost-Brinkmann P-G, Yamada Y. Initial tooth movement under extraoral force and considerations for controlled molar movement. 65(3):199-208.

FABA
Yang SD, Suhr CH. F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3):223-231.

Facebow
Yoshida N, Jost-Brinkmann P-G, Yamada Y. Initial tooth movement under extraoral force and considerations for controlled molar movement. 65(3):199-208.

Facial asymmetry
Ras F, Habets LLMH, van Ginkel FC, Prahl-Andersen B. Method for quantifying facial asymmetry in three dimensions using stereophotogrammetry. 65(3):233-240.

Facial profile
Yang SD, Suhr CH. F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3):223-231.

Facial type
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 2: Relationship to various cephalometric measurements. 65(5):373-377.

Force
Owman-Moll P, Kurol J, Lundgren D. Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):395-402.

Friction
De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.

Gender
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.

Geometric nonlinearities
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.

Growth and development
Ostyn JM, Maltha JC, van 't Hof MA, van der Linden FPGM. The role of intercuspation in regulation of transverse maxillary development in Macaca fascicularis. 65(3):215-222.

Growth forecast
Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.

Headgear
Yoshida N, Jost-Brinkmann P-G, Yamada Y. Initial tooth movement under extraoral force and considerations for controlled molar movement. 65(3):199-208.

Histology
Owman-Moll P, Kurol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. 65(6):403-408.

Horizontal relationship of the jaws
Yang SD, Suhr CH. F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3):223-231.

Idiopathic short stature
Richey KA, McNamara JA Jr., Wilmot JJ, Garn SM, Loos PJ. Arch dimensional changes in children with idiopathic short stature treated with recombinant growth hormone: a five-year study.65(4):293-300.

Impacted teeth
Vermette ME, Kokich VG, Kennedy DB. Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):23-32.

Incisor proclination
Williams S, Andersen CE. Incisor stability in patients with anterior rotational mandibular growth. 65(6);431-442.

Index of Treatment Need
Tang ELK, So LLY. Correlation of orthodontic treatment demand with treatment need assessed using two indices. 65(6):443-450.

Informed consent
Ackerman JL; Proffit WR. Communication in orthodontic treatment planning: bioethical and informed consent issues. 65(4):253-262.

Instrumentation
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.

Irregularity index
Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: post-retention evaluation of stability and relapse. 65(5):311-320.

Jaw rotation
Yang SD, Suhr CH. F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3):223-231.

Limit of activation
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.

Lingual arch
Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: post-retention evaluation of stability and relapse. 65(5):311-320.

Lips
Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.

Longitudinal
Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.

Macaca fascicularis
Ostyn JM, Maltha JC, van 't Hof MA, van der Linden FPGM. The role of intercuspation in regulation of transverse maxillary development in *Macaca fascicularis*. 65(3):215-222.

Magnetic sensor
Yoshida N, Jost-Brinkmann P-G, Yamada Y. Initial tooth movement under extraoral force and considerations for controlled molar movement. 65(3):199-208.

Males
Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.

Malocclusion
Rosenblum RE. Class II malocclusion: mandibular retrusion or maxillary protrusion? 65(1):49-62.

Mandibular growth
Hans MG, Enlow DH, Noachtar R. Age-related differences in andibular ramus growth: a histologic study. 65(5):335-339.

Mandibular rotation
Williams S, Andersen CE. Incisor stability in patients with anterior rotational mandibular growth. 65(6);431-442.

Maxilla
Nimkarn Y, Miles PG, O'Reilly MT, Weyant RJ. The validity of maxillary expansion indices. 65(5):321-326.

McNamara
Nimkarn Y, Miles PG, O'Reilly MT, Weyant RJ. The validity of maxillary expansion indices. 65(5):321-326.

MP-SN angle
Karlsen AT. Craniofacial growth differences between low and high MP-SN angle males: a longitudinal study. 65(5):341-350.

Needle-pointed dividers
Shellhart WC, Lange DW, Kluemper GT, Hicks EP, Kaplan AL. Reliability of the Bolton tooth-size analysis when applied to crowded dentitions. 65(5):327-334.

Nickel
Kerosuo H, Moe G, Kleven E.In vitro release of nickel and chromium from different types of simulated orthodontic appliances. 65(2):111-116.

Nitinol
Bishara SE, Winterbottom JM, Sulieman A-HA, Rim

K, Jakobsen JR. Comparisons of the thermodynamic properties of three nickel-titanium orthodontic archwires. 65(2):117-122.
De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.

Noncontact sensor
Tanne K, Inoue Y, Sakuda M. Biomechanical behavior of the periodontium before and after orthodontic tooth movement. 65(2):123-128.

Nonextraction
McLaughlin RP, Bennett JC. Review and commentary: The extraction–nonextraction dilemma as it relates to TMD. 65(3):175-186.

Normal occlusion
Deguchi T, Garetto LP, Sato Y, Potter RH, Roberts WE. Statistical analysis of differential lissajous EMG from normal occlusion and Class III malocclusion. 65(2):151-159.

Occlusal Index
Tang ELK, So LLY. Correlation of orthodontic treatment demand with treatment need assessed using two indices. 65(6):443-450.

Orthodontic appliances
Kerosuo H, Moe G, Kleven E.In vitro release of nickel and chromium from different types of simulated orthodontic appliances. 65(2):111-116.

Orthodontic resin
Meng CL, Wang WN, Tarng TH, Luo YC, Lai JS, Arvystas MG. Orthodontic resin under water immersion. 65(3):209-214.

Orthodontic tooth movement
Tanne K, Inoue Y, Sakuda M. Biomechanical behavior of the periodontium before and after orthodontic tooth movement. 65(2):123-128.

Orthodontic treatment need
Tang ELK, So LLY. Correlation of orthodontic treatment demand with treatment need assessed using two indices. 65(6):443-450.

Orthodontics
Dann C, Phillips C, Broder HL, Tulloch JFC. Self-concept, Class II malocclusion, and early treatment. 65(6):411-416.
Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.
Vermette ME, Kokich VG, Kennedy DB. Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):23-32.

Palatal canine displacement
Peck S, Peck L, Kataja M. Sense and nonsense regarding palatal canines. 65(2):95-102.
Becker, A. In defense of the guidance theory of palatal canine displacement. 65(2):95-102.

Palatal rugae
Almeida MA; Phillips C, Kula K, Tulloch C. Stability of the palatal rugae as landmarks for analysis of dental casts. 65(1):43-48.

Patient expectation
Phillips C, Hill BJ, Cannac C. The influence of video imaging on patients' perceptions and expectations. 65(4):263-270.

Patient perception
Phillips C, Hill BJ, Cannac C. The influence of video imaging on patients' perceptions and expectations. 65(4):263-270.

Periodontium
Tanne K, Inoue Y, Sakuda M. Biomechanical behavior of the periodontium before and after orthodontic tooth movement. 65(2):123-128.

Periodontium
Vermette ME, Kokich VG, Kennedy DB. Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):23-32.

Pont
Nimkarn Y, Miles PG, O'Reilly MT, Weyant RJ. The validity of maxillary expansion indices. 65(5):321-326.

Post-debonding polishing
Campbell PM. Enamel surfaces after orthodontic bracket debonding 65(2):103-110.

Postretention
Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: post-retention evaluation of stability and relapse. 65(5):311-320.

Prediction tracing
Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.

Recombinant human growth hormone
Richey KA, McNamara JA Jr., Wilmot JJ, Garn SM, Loos PJ. Arch dimensional changes in children with idiopathic short stature treated with recombinant growth hormone: a five-year study.65(4):293-300.

Recovery
Bishara SE, Winterbottom JM, Sulieman A-HA, Rim K, Jakobsen JR. Comparisons of the thermodynamic properties of three nickel-titanium orthodontic archwires. 65(2):117-122.

Reference plane
Ras F, Habets LLMH, van Ginkel FC, Prahl-Andersen B. Method for quantifying facial asymmetry in three dimensions using stereophotogrammetry. 65(3):233-240.

Relapse
Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: post-retention evaluation of stability and relapse. 65(5):311-320.

Relationships
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.

Reliability
Cangialosi TJ, Chung JM, Elliott DF, Meistrell ME Jr. Reliability of computer-generated prediction tracing. 65(4):277-284.
Shellhart WC, Lange DW, Kluemper GT, Hicks EP, Kaplan AL. Reliability of the Bolton tooth-size analysis when applied to crowded dentitions. 65(5):327-334.

Remodeling
King GJ, Keeling SD. Orthodontic bone remodeling in relation to appliance decay. 65(2):129-140.
Tenshin S, Tuchihashi M, Sou K, Lew H, Hayashi H, Tanimura I, Kawata T. Remodeling mechanisms of transseptal fibers during and after tooth movement. 65(2):141-150.

Repair
Owman-Moll P, Kurol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. 65(6):403-408.

Reproducibility
Prawat JS, Nieberg L, Cisneros GJ, Acs G. A comparison between radiographic and sonically produced cephalometric values. 65(4):271-276.

Root resorption
Owman-Moll P, Kurol J, Lundgren D. Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):395-402.
Owman-Moll P, Kurol J, Lundgren D. Repair of orthodontically induced root resorption in adolescents. 65(6):403-408.

Sagittal discrepancy
Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.

Sagittal indicators
Rosenblum RE. Class II malocclusion: mandibular retrusion or maxillary protrusion? 65(1):49-62.

Scarred enamed
Campbell PM. Enamel surfaces after orthodontic bracket debonding 65(2):103-110.
Schwarz
Nimkarn Y, Miles PG, O'Reilly MT, Weyant RJ. The validity of maxillary expansion indices. 65(5):321-326.
Segmental spring
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.
Self-concept
Dann C, Phillips C, Broder HL, Tulloch JFC. Self-concept, Class II malocclusion, and early treatment. 65(6):411-416.
Shear/peel bond strength
Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.
Silane coupling agent
Gaffey PG, Major PW, Glover K, Grace M, Koehler JR. Shear/peel bond strength of repositioned ceramic brackets. 65(5):351-358.
Skeletal Class I
Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.
Soft tissue profile
Diels RM, Kalra V, DeLoach N Jr., Powers M, Nelson SS. Changes in soft tissue profile of African-Americans following extraction treatment. 65(4):285-290.
Lange DW, Kalra V, Broadbent BH Jr., Powers M, Nelson S. Changes in soft tissue profile following treatment with the bionator. 65(6):423-430.
Sonic
Prawat JS, Nieberg L, Cisneros GJ, Acs G. A comparison between radiographic and sonically produced cephalometric values. 65(4):271-276.
Stability
Almeida MA; Phillips C, Kula K, Tulloch C. Stability of the palatal rugae as landmarks for analysis of dental casts. 65(1):43-48.
Dugoni SA, Lee JS, Varela J, Dugoni AA. Early mixed dentition treatment: post-retention evaluation of stability and relapse. 65(5):311-320.
Williams S, Andersen CE. Incisor stability in patients with anterior rotational mandibular growth. 65(6);431-442.
Stature
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.
Stereophotogrammetry
Ras F, Habets LLMH, van Ginkel FC, Prahl-Andersen B. Method for quantifying facial asymmetry in three dimensions using stereophotogrammetry. 65(3):233-240.
Surgical exposure
Vermette ME, Kokich VG, Kennedy DB. Uncovering labially impacted teeth: apically positioned flap and closed-eruption techniques. 65(1):23-32.
Teflon
De Franco DJ, Spiller Jr RE, von Fraunhofer JA. Frictional resistances using Teflon-coated ligatures with various bracket-archwire combinations. 65(1):63-72.
Temporomandibular joint dysfunction
McLaughlin RP, Bennett JC. Review and commentary: The extraction–nonextraction dilemma as it relates to TMD. 65(3):175-186.
Thermodynamic archwires
Bishara SE, Winterbottom JM, Sulieman A-HA, Rim K, Jakobsen JR. Comparisons of the thermodynamic properties of three nickel-titanium orthodontic archwires. 65(2):117-122.
Three dimensional
Ras F, Habets LLMH, van Ginkel FC, Prahl-Andersen B. Method for quantifying facial asymmetry in three dimensions using stereophotogrammetry. 65(3):233-240.
Tooth eruption
Baccetti T, Franchi L, Cecchi JM, Pacciani E. Associated dental anomalies in an Etruscan adolescent. 65(1):75-79.
Tooth mobility
Tanne K, Inoue Y, Sakuda M. Biomechanical behavior of the periodontium before and after orthodontic tooth movement. 65(2):123-128.
Tooth movement
King GJ, Keeling SD. Orthodontic bone remodeling in relation to appliance decay. 65(2):129-140.
Tenshin S, Tuchihashi M, Sou K, Lew H, Hayashi H, Tanimura I, Kawata T. Remodeling mechanisms of transseptal fibers during and after tooth movement. 65(2):141-150.
Yoshida N, Jost-Brinkmann P-G, Yamada Y. Initial tooth movement under extraoral force and considerations for controlled molar movement. 65(3):199-208.
Owman-Moll P, Kurol J, Lundgren D. Continuous versus interrupted continuous orthodontic force related to early tooth movement and root resorption. 65(6):395-402.
Tooth-size analysis
Shellhart WC, Lange DW, Kluemper GT, Hicks EP, Kaplan AL. Reliability of the Bolton tooth-size analysis when applied to crowded dentitions. 65(5):327-334.
Translational unit
Rinaldi TC, Johnson BE. An analytical evaluation of a new spring design for segmented space closure. 65(3):187-198.
Transseptal fibers
Tenshin S, Tuchihashi M, Sou K, Lew H, Hayashi H, Tanimura I, Kawata T. Remodeling mechanisms of transseptal fibers during and after tooth movement. 65(2):141-150.
Treatment demand
Tang ELK, So LLY. Correlation of orthodontic treatment demand with treatment need assessed using two indices. 65(6):443-450.
TTR
Bishara SE, Winterbottom JM, Sulieman A-HA, Rim K, Jakobsen JR. Comparisons of the thermodynamic properties of three nickel-titanium orthodontic archwires. 65(2):117-122.
Vertical jaw dimension
Yang SD, Suhr CH. F-H to AB plane angle (FABA) for assessment of anteroposterior jaw relationships. 65(3):223-231.
Video image
Phillips C, Hill BJ, Cannac C. The influence of video imaging on patients' perceptions and expectations. 65(4):263-270.
Water immersion
Meng CL, Wang WN, Tarng TH, Luo YC, Lai JS, Arvystas MG. Orthodontic resin under water immersion. 65(3):209-214.
Weight
Braun S, Bantleon H-P, Hnat WP, Freudenthaler JW, Marcotte MR, Johnson BE. A study of bite force, part 1: Relationship to various physical characteristics. 65(5):367-372.
Wits analysis
Judy DL, Farman AG, Silveira AM, Yancey JM, Regennitter FJ, Scarfe WC. Longitudinal predictability of AF-BF value in Angle Class I patients. 65(5):359-366.